

DATASHEET

XS4 Original+ Wide - Euro

The XS4 Original+ wide body version is designed to fit most European profile doors and mortise locks standards. Easy to install and retrofit, it can replace your existing door hardware and fits any door with a broad range of different models and functions. The XS4 Original+ incorporates the latest BLUEnet wireless and mobile credentials technology to accommodate access control needs of both today and tomorrow.



TECHNICAL DATA:

Reader dimensions :	290 x 67 x 20 mm
Weight:	2.5 kg
Handle rotation:	Max. 52°
Door thicknesses:	32 mm - 120 mm
Distance from the handle to the cylinder	47 - 110mm
Square spindles:	7mm, 7.6mm split, 8mm, 8mm split, 9mm, 9mm split.
Power source:	3 LR6 batteries (AA size) (optional lithium FR06)
Number of openings ¹ :	Up to 129.000 operations depending on the technology and the platform.
Maximum events on lock audit:	1861 (Salto Space) 1462 (Salto KS and Salto Homelok)
Environmental conditions Outdoor:	-35 °C / +60 °C. without condensation.
Environmental conditions Indoor:	-5 °C / +50 °C without condensation (optional -35°C / +60°C)
IP class:	IP54 (optional E5 - IP55 ²)
Certifications:	CE, FCC, IC, UKCA, ACMA, EAC, IMDA, NCC, TDRA, MIC, KCC, NTRA, CRA, MPT, VTNA, CMIM, NBTC. EN 179, EN 1634-1 (Ei30, Ei60), PAS24 (optional), AbP (P-120003012, DO 20.52), Ü-Certificate

¹Maximum numbers depending on the used credential

²External escutcheon

OPENING MODES:

Standard:	•
Office mode:	•
Timed office:	•
Automatic opening:	•
Automatic opening + office	•
Toggle:	•
Timed Toggle:	•
Amok mode:	—
Exit leaves open mode:	•


CREDENTIAL TECHNOLOGIES:

JustIN Mobile Credentials ¹ :	•
NXP MIFARE ² :	•

¹Bluetooth Digital Key and Near Field Communication (NFC) capability.

² MIFARE® DESFire® EV1/EV2/ EV3, MIFARE® Plus, MIFARE® Ultralight C, MIFARE® Classic.

TECHNICAL DRAWING:



SALTO PLATFORMS:

	 ¹	 ²	 ³
SVN data-on-card	•	—	•
JustIN Mobile	•	•	•
BLUEnet Wireless	• ⁴	•	•
Apple Wallet	—	—	•

¹Salto Space. On-premise access control platform

²Salto KS. Cloud-based access control platform

³Salto Homelok. Cloud-based access control platform

⁴RFnet Wireless versions are not compatible

FINISH:

IM Satin Stainless - BHMA630 US32D	•
IP Polished Stainless - BHMA629 US32	•
PM PVD satin brass type - BHMA731 US4	•
PP PVD bright brass type - BHMA724 US3	•
NE Black chromium - BHMA687	•
DB PVD Dark Bronze - BHMA640 US10B	•
BC BioCote anti-microbial	•

READER FINISH:

Black:	•
White:	•

HANDLES:

Compatible handles*	A, B, G, H, J, K, L, N, O, P, S, T, U, W, Y, Z, 2, 3, 4, 5, 7
High Transit:	• (optional)

* Not all the handles are available in all finishes.

LOCKS:

Euro-DIN:	•
Cylindrical ¹ :	•
Tubular ² :	•


¹Only SALTO LC1K

²Only SALTO LT2L

MODELS:


MODEL 50:

- 2 handles any type.




MODEL 57:

- 2 handles any type.
- Outside cylinder cut out.
- Electronic "do not disturb" system (Not available in self-programmable).




MODEL 51:

- 2 handles any type.
- Inside thumbturn.




MODEL 58:

- 2 handles any type.
- Inside thumbturn 90° with connector for mortise lock with microswitch.




MODEL 52/53/54:

- 2 handles any type.
- Inside (models 52 / 53) / (models 54) Outside cylinder cut out.




MODEL 60:

- 2 handles any type.
- Inside thumbturn.
- Built in mechanical override with audit.
(Ex660 reference: Euro profile cylinder 30-10).




MODEL 56:

- 2 handles any type.
- Electronic "do not disturb" system (Not available in selfprogrammable).



MODEL P0:

- 2 handles any type.
- Built in mechanical override with audit.
(Ex6P0 reference: Euro profile cylinder 30-10).



Salto Systems.

Get in touch with our team.

Give us a brief summary of your needs, your next project and we'll get back to you.

Spain, UK, France, Germany, Switzerland, The Netherlands, Belgium, Poland, Slovakia, Slovenia, Czech Republic, Denmark, Norway, Sweden, Finland, Italy, Portugal, US (NYC - Atlanta - LV), Canada, Mexico, Costa Rica, Colombia, Puerto Rico, Chile, UAE, India, South Africa, Singapore, China, Hong Kong, Korea, Vietnam, Australia, New Zealand.

